



FORMULA 500's AUSTRALIA INC.

Supplementary Racing Regulations

in conjunction with

AUSTRALIAN SPEEDWAY RACING RULES & REGULATIONS

INCLUDES DRIVER INFRINGEMENT RECORD

SPECIFICATIONS



July 2025

DRIVER'S NAME
(If Driver does not own vehicle)

DRIVER / CAR OWNER'S NAME

OFFICIAL'S NAME

PREFACE

Motor Racing is a Sport – a dangerous sport – but a good sport if made up of men and women.

This is no place for the trouble maker or the person who can see nothing but wrong, believing that every action of the officials is directed at them; that rules are made only for them to break.

This person has no place in the sport of motor racing.

– *Glenn Perret*



FORMULA 500's AUSTRALIA INC.

**Supplementary
Racing Regulations**
in conjunction with
**AUSTRALIAN SPEEDWAY
RACING RULES & REGULATIONS**

SPECIFICATIONS



July 2025

Books will be printed annually
and available from your State Association.

Formula 500's Australia Inc.

President: David Hedington - Mobile 0417 900 858

Secretary: Marion Baxter - Mobile 0409 783 952

INDEX

Australian TQ/Formula 500 Champions Speedway	6	Chapter V DRIVERS	15
Australian TQ/Formula 500 Champions Short Circuit	8	30. Issue of Licences	15
Contact Numbers Speedway	9	31. Validity of Licence	15
Life Members	10	2.2.8 Junior Drivers	16
RULES AND REGULATIONS	11	Chapter VI - DRIVING IN RACES	16
Chapter I INTRODUCTION	11	32. Outside Assistance	16
1. Racing Regulations	11	33. Seat Belts	16
2. Qualifications	11	34. Rerunning of Races	16
3. Loyal Observance of these Regulations	11	35. Substitution of a Vehicle	16
4. Interpretation of these Regulations	11	2.4 Junior Racing	16
Chapter II DEFINITIONS	11	Chapter VII TITLE EVENTS	17
5. The Association	11	36. Entries	17
6. Club	11	37. Starting Positions	17
7. Speedway	11	38. State Titles and Special Events	17
8. Short Circuit	12	39. Power to Act	17
9. Clutch (Standing) Start	12	40. Australian Championship	17
10. Rolling Start	12	41. Method of Elimination	18
11. Vehicle - F'500 Racecar	12	42. Authority to Modify	18
12. Cylinder Volume	12	43. Registration Numbers	19
13. Competitors' Register	12	44. Registration of Cars	19
Chapter III COMPETITIONS IN GENERAL	12	45. Renewal of Registered Numbers	19
14. Promotion of Meeting	12	46. Maintenance of Vehicles	19
15. Unauthorised Meetings	12	47. Inspection of Vehicles	19
16. Medical Requirements	12	48. Measurement of Engine	19
Chapter IV ORGANISATION	12	49. Australian Championship President's Trophy	19
17. Contents of Supplementary Regulations	12	50. Prize Money Australian Championship	19
18. Alteration to Supplementary Regulations	13	Venue Bond	19
19. Entry	13	51. Practice	20
20. Dispute Regarding Entry	13	52. After National Events	20
21. Opening of Entries	13	53. Australian Dirt Track & Short Circuit Ch'ships	20
22. Contents of Entry Form	13	54. Host State - National Titles	20
23. Indemnity by Entrants and Drivers	14	55. Annual General Meeting (AGM)	20
24. Closing of Entries	15	56. Agenda Items	20
25. Entry by Fax or Email	15	57. Illegal Fuels and Oversize Engines	20
26. Entry Containing a False or Incorrect Statement	15	58. Fuel Testing	20
27. Refusal of Entry	15	59. Delegates	20
28. Conditional Acceptance of Entry	15	60. Changes to Rules and Specifications	20
29. Acceptance of Entries	15	61. Scrutineers	20
		62. Pusher Cars	20
		63. Programme	21

64. Driver's Representative.....	21	Aims and Objectives	39
65. Gate Passes	21	Restrictor Specifications.....	40
66. Supplementary Regulations	21	Junior Restrictor 600 Class	40
67. Additional Races	21	RULES OF CONDUCT	43
68. Grid Draws.....	21	Social Networking	43
69. Engine Testing Equipment.....	21	Driver's Code of Conduct.....	44
INFRINGEMENT RECORD	22	Officials' Code of Conduct	45
VEHICLE SPECIFICATIONS	23		
1. General Dimensions.....	25		
2. Engine	26		
3. Transmission	27		
4. Brakes	27		
5. Steering	27		
6. Throttle.....	27		
7. Ignition	27		
8. Fuel System.....	28		
9. Body Group.....	28		
10. Visor/Debris Screen	29		
11. Safety Belts & Safety Apparel.....	29		
12. Bumper Bars.....	30		
13. Knurting Bars.....	30		
14. Exhaust Pipes	30		
15. Aerofoils.....	31		
Aerofoils - Mounting Diagram	32		
16. Roll Cages.....	33		
Chassis Design Diagram.....	35		
Roll Cages - Construction Diagram.....	36		
17. Nuts, Bolts - Components	37		
18. Racing Numbers.....	37		
19. Transponder Position	37		
20. Cooling Systems.....	37		
21. Pit Crews.....	37		
22. General.....	37		
23. Vehicle Examinations.....	38		
24. Deviations	38		
25. Remember - If It's Not in the Book, It's Illegal	38		
26. Scrutineers.....	38		
27. Engine Testing Equipment.....	38		
JUNIOR RULES	39		
Background.....	39		
Formal Government and National Controlling Body.....	39		
Monitoring Process	39		

Australian TQ/Formula 500 Champions Speedway

Year	Driver	State	Tracks	State
1964	Bob Lane	NSW	Point Bass	
1965	William Simpson	NSW		
1966	Kevin Yeomans	Vic	Myrtleford	Vic
1967	Les Redpath	Tas	Latrobe	Tas
1968	Jack Treadgate	NSW	Bundaberg	Qld
1969	Bob Haag	Vic	Myrtleford	Vic
1970	Jack Threadgate	NSW	Latrobe	Tas
1971	Viv Wilks	SA	Murray Bridge	SA
1972	Viv Wilks	SA	Warrnambool	Vic
1973	Ken Redpath	Tas	Latrobe	Tas
1974	John Andersson	WA	Claremont	WA
1975	John Andersson	WA	Carina	Qld
1976	Ken Neilson	WA	Heddon Greta	NSW
1977	John Andersson	WA	Murray Bridge	SA
1978	George Higgs	WA	Alice Springs	NT
1979	William Broadwood	WA	Canberra	ACT
1980	Max Dumesny	Vic	Brooklyn	Vic
1981	Lloyd Thorley	NSW	Bridgewater	Tas
1982	Max Dumesny	Vic	Bibra Lake	WA
1983	Lloyd Thorley	NSW	Archerfield	Qld
1984	Don Bowey	SA	Newcastle	NSW
1985	Don Bowey	SA	Murray Bridge	SA
1986	Vince Chapman	WA	Alice Springs	NT
1987	Vince Chapman	WA	Bibra Lake	WA
1988	Lloyd Thorley	NSW	Canberra	ACT
1989	Clive Baxter	NT	Swan Hill	Vic
1990	Roy Urpeth	NSW	Carrick	Tas
1991	Graham Odger	Qld	Cairns	Qld
1992	Michael Pronger	Qld	Wagga Wagga	NSW
1993	Don Bowey	SA	Murray Bridge	SA
1994	Don Bowey	SA	Alice Springs	NT
1995	Tony Pryor	NSW	Goulburn	ACT
1996	Tony Pryor	NSW	Hamilton	Vic
1997	Phillip Woodberry	Tas	Latrobe	Tas
1998	Trevor Harding	WA	Bunbury	WA
1999	Luke Dillon	SA	Cairns	Qld
2000	Luke Dillon	SA	Newcastle	NSW
2001	Luke Dillon	SA	Murray Bridge	SA

Australian TQ/Formula 500 Champions *(cont...)*

Speedway

Year	Driver	State	Tracks	State
2002	Jason Loveday	SA	Alice Springs	NT
2003	Lee Dillon	SA	Goulburn	ACT
2004	Darren Mollenoyux	Vic	Warrnambool	Vic
2005	Matthew Brown	WA	Latrobe	Tas
2006	Ben Devlin	WA	Esperance	WA
<i>Formula 500'S Australian Champion</i>				
2007	Ben Mcleod	Vic	Maryborough	Qld
2008	Michael Pronger	Qld	Lismore	NSW
2009	Brock Hallett	Qld	Bordertown	SA
2010	Daniel Harding	WA/SA	Alice Springs	NT
2011	Liam Williams	Vic	Goulburn	ACT
2012	Jessica Moulden	Vic	Laang	VIC
2013	Marcus Kelly	Tas	Carrick	TAS
2014	Brock Hallett	SA	Perth Motorplex	WA
2015	Dylan Willsher	Vic	Rockhampton	Qld
2016	Liam Williams	Qld	Gunnedah	NSW
2017	Liam Williams	Qld	Murray Bridge	SA
2018	Liam Williams	Qld	Hidden Valley	NT
2019	Josh Buckingham	Vic	Goulburn	ACT
2020	Jock Goodyer	Tas	Simpson	VIC
2021	COVID			
2022	Dylan Beveridge	Tas	Latrobe	TAS
2023	Dylan Beveridge	Tas	Motorplex	WA
2024	Liam Williams	Qld	Toowoomba	Qld
2025	<i>Cancelled due to lack of Nominations</i>		Gunnedah	NSW

Australian TQ/Formula 500 Champions Short Circuit

Year	Driver	State	Tracks	State
1964				
1965	William Simpson	NSW	Salty Creek	NSW
1966				
1967				
1968	George Parkes	NSW		
1969	Jack Threadgate	NSW		
1970	Jack Threadgate	NSW		
1971	Tony Coles	NSW	Salty Creek	NSW
1972				
1973				
1974	Don Perry	ACT	Bendigo	Vic
1975	Don Perry	ACT	Yass	NSW
1976				
1977	John Andersson	WA	Darkan	WA
1978				
1979				
1980	Max Dumesney	Vic	Wangaratta	Vic
1981	Lloyd Thorley	NSW	Harvey Dale	Tas
1982	William Broadwood	WA	Darkan	WA
1983	Lloyd Thorley	NSW	Maryborough	Qld
1984	Grahame Baxter	NSW	West Wyalong	NSW
1985	Grahame Baxter	NSW	Murray Bridge	SA
1986	Lloyd Thorley	NSW	Alice Springs	NT
1987	Vince Chapman	WA	Narrogin	WA
1988	Steve Kurtz	NSW	Cowra (NSW)	ACT
1989	Lloyd Thorley	NSW	Wangaratta	Vic
1990	Lloyd Thorley	NSW	Carrick	Tas
1991	Roy Urpeth	NSW	Townsville	Qld
1992	John Owen	NSW	West Wyalong	NSW
1993	Darren Tierney	Vic	Murray Bridge	SA
1994	Shorty Maclean	NT	Alice Springs	NT
1995	Tony Pryor	NSW	Yass (NSW)	ACT
1996	Steve Kurtz	NSW	West Wyalong	NSW
1997	Adrian Redpath	Tas	Carrick	Tas
1998	William Broadwood	WA	Darkan	WA
1999	Alan Iverson	Qld	Cairns S/W	Qld
2000	Brian Thorley	NSW	Cowra	NSW

State Formula 500 Contact Numbers

(Correct at time of printing)

PRESIDENT

David Hedington

PO Box 2573, Malaga, WA, 6944 **Mob** 0417 900 858 **Email** office@unitedspeedway.com.au

VICE PRESIDENT

Steve Jabke

Mob 0409 791 323 **Email** steve@beamelectrical.com.au

SECRETARY/TREASURER (ALSO NSW F500 ASS)

Marion Baxter

PO Box 129

Singleton NSW 2330

Email g.mbxter@bigpond.com

Ph AH (02) 6572 1376 • **Mob** 0409 783 952

Grahame Baxter

President

Mob 0408 680 053

Email gdbaxter93@bigpond.com

VICTORIAN FORMULA 500 ASSOCIATION

Lauren Bowen

Secretary

Mob 0402 924 006

Email laurenelizabeth1987@hotmail.com

Terry Rankin

President

Mob 0409 874 085

E victorianformula500association@gmail.com

SA FORMULA 500

Kirby Turnbull

Secretary

Mob 0408 820 436

Email formula500sa@gmail.com

Joe Mercorella

Mob 0417 035 194

Email joemercojm@gmail.com

FORMULA 500 WA ASSOC INC

Ashleigh Oldfield

Email f500wa@hotmail.com

Darren Rodwell

President

Mob 0448 818 976

Email f500wapresident@outlook.com

QUEENSLAND FORMULA 500 ASS INC

Judy Iverson

Secretary

5 Ridge Dr, Ruperts Wood Townsville Qld 4817

Email iverson@bigpond.net.au

Ph (07) 4788 8891 • **Mob** 0417 636 746

Paul Swindell

President

Mob 0417 609 995

Email pauls.cylinder.heads@gmail.com

TASMANIAN FORMULA 500 ASS INC

Jessica Burr

Public Officer

PO Box 228 Latrobe Tas 7307

Mob 0448 181 681

Email tasformula500@hotmail.com

Email burrfamilymotorsport@gmail.com

Adam Burr

President

Mob 0427 802 845

Email burrfamilymotorsport@gmail.com

GOULBURN FORMULA 500 CLUB

Murray Johnson

Secretary

Mob 0411 604 442

Email murray@bascact.com.au

Ken McDonald

President

Mob 0491 753 087

Email kkmcdonald03@yahoo.com.au

NORTHERN TERRITORY

Lynette Green

Secretary

PO Box 3214 Palmerston NT 0831

Mob 0439 881 428

Email northernterritoryformula500@outlook.com

Gavin Law

President

Mob 0419 988 593

Email gavlawb@gmail.com

AUST F500 CHIEF STEWARD 2025 - 2026

TBA

PUBLIC OFFICER

Murray Johnson

Address TBA

Mob 0411 604 442

Email murray@bascact.com.au

**2026 Australian
Formula 500
Championship**

**BORDERLINE SPEEDWAY
MOUNT GAMBIER SA**

**5th, 6th, 7th, 8th
March 2026**

LIFE MEMBERS

1968 David Johnson ACT
1976 William (Bill) McDowell NSW
1976 Len Quinn TAS
1984 Darrell Coles NSW
1984 Glenn Perret WA
1995 Phil Checkley WA
2003 Bill Richards WA
2011 Grahame Baxter NSW
2011 Marion Baxter NSW
2013 Ken Willsher VIC
2019 John Dean GLB
2020 Lloyd Thorley NSW
2021 John Anderson

Please note: these details are correct at time of printing

CHAPTER I - INTRODUCTION

GOVERNING BODY.

FORMULA 500'S AUSTRALIA SHALL BE CITED AS THE GOVERNING BODY FOR ALL FORMULA 500 RACING.

RACING REGULATIONS

SPEEDWAY AUSTRALIA RACING RULES & REGULATIONS WILL BE CITED AS THE RACING REGULATIONS.

THESE RACING REGULATIONS WILL GOVERN THE REGULATIONS ARISING IN ANY MANNER WHATSOEVER IN CONNECTION WITH THE SPORT OF SPEEDWAY RACING BETWEEN PROMOTERS, DRIVERS, MECHANICS OR OFFICIALS AND THE FORMULA 500's AUSTRALIA INCORPORATED.

1. SUPPLEMENTARY RACING REGULATIONS - These Supplementary regulations govern any further regulations arising in any manner whatsoever in connection with the sport of speedway racing for the Formula 500's Australia Inc. They are to be taken as being in force and may be cited as 'The Supplementary Racing Regulations.
2. QUALIFICATIONS
 - (a) Every person licensed to participate in or officiate at any competition, shall be a financial member of the Association, or an accredited honorary member or a member of an authoritative body recognised by the Association, or a member of an Associated or Affiliated Club.
 - (b) All drivers, officials and car owners must own a copy of these regulations and shall be required to have it in their possession at each race meeting. eg. Drivers must have their own copy if they do not own the car they are driving.
3. LOYAL OBSERVANCE OF THESE REGULATIONS - no person licensed to participate in or officiate any competition governed by these regulations shall:
 - (a) Assist any person or body or persons that does not comply with and/or conform to these regulations, or that acts in any manner contrary thereto: or
 - (b) belong to, lend his/her name to, or be an officer of any such body. Any person or body being guilty of a breach of this regulation shall thereby become liable to the consequences provided within these regulations.
4. INTERPRETATION OF THESE REGULATIONS - The correct interpretation of these Regulations shall be decided by the Formula 500's Australia Inc. Executive Committee whose decision shall be final.

CHAPTER II - DEFINITIONS

5. THE ASSOCIATION - except when the contents or subject matter requires a different construction the Association shall mean the Formula 500's Australia Inc.
6. CLUB - Any club associated or affiliated with the Formula 500's Australia Inc. or any other approved club which has formally undertaken to observe these and any regulations of the Association.
7. SPEEDWAY - An elliptically shaped arena, comprising of a track of an approved surface not exceeding 732 metres or any other track declared a Speedway by the Formula 500's Australia Inc.

8. SHORT CIRCUIT - A continuous circuit which contains both left and right hand bends, and which the surface may be watered or oiled. The terrain may be either flat or hilly nature.
9. CLUTCH (STANDING) START - The start made by drivers when the cars are stationary with engines running until the order to start is given.
10. ROLLING START - The start made by drivers in which the speed up to the starting line is regulated.
11. VEHICLE - FORMULA 500 - A land vehicle propelled by its own means, running on at least four wheels not in a line which must be normally in contact with the ground, and of which the front two must affect the steering, and the rear two the propulsion, and limited in engine size as specified in the specifications adopted by the Australian Association.
12. CYLINDER VOLUME -The volume swept in a cylinder or cylinders by the upward or downward movement of the piston or pistons in such cylinder or cylinders. Cylinder volume shall be expressed in cubic centimetres. For the calculations relating to the cylinder volume of engines, the symbol will be regarded as 3.1416.
13. COMPETITORS' REGISTER - The list maintained by the Affiliated Associations of persons to whom it has issued either a car number, or a driver's competition licence. The register must show the respective licence numbers.

CHAPTER III - COMPETITIONS IN GENERAL

14. PROMOTION OF MEETING - All Formula 500 meetings must be approved by the State Formula 500 Association. "No F500 Race Meeting can be run without the authorisation of the State Formula 500 Association".
15. UNAUTHORISED MEETINGS - The promotion of any meeting otherwise than in conformity with these Regulations is forbidden. Every person connected therewith or taking part in such a meeting, whether as promoter, driver or official, shall be liable to the consequences and penalties provided herein.
16. MEDICAL REQUIREMENTS - A state ambulance or private paramedical service with a properly fitted patient carrying vehicle or equivalent is required to be in attendance at all race meetings.

CHAPTER IV - ORGANISATION

17. CONTENTS OF SUPPLEMENTARY REGULATIONS - The Supplementary Regulations shall contain (insofar as may be appropriate to the meeting to which they relate) the following information:
 - (1) The name and nature of the proposed competitions
 - (2) The name and address of the promoters
 - (3) A statement in accordance with Rule 14
 - (4) The place and date of the meeting
 - (5) A full description of the proposed competition, including length and direction of course
 - (6) Comprehensive information regarding personal insurance
 - (7) The date, times and nature of starts, with details of handicapping
 - (8) A reminder of such of these rules as may be particularly applicable to the competition and also in regard to licence, signals, protection against fire etc.
 - (9) The manner in which the results will be determined
 - (10) Provisions regarding postponement, abandonment or cancellations

- (11) The information required on entry forms
 - (12) The dates of opening and closing of entries and how and where they shall be made
 - (13) The amount of the entry and insurance fee
 - (14) Conditions under which entries may be refused
 - (15) The relative positions of the cars at the start and how they are to be determined
 - (16) Signals to be given for the start and finish
 - (17) Particulars of identification numbers and marks required or permitted to be carried
 - (18) The facts shall be judged by the Judges of Fact
 - (19) The times fixed for the official examination of vehicles
 - (20) All such other requirements and information as may be necessary for the proper conduct of the meeting.
18. **ALTERATION TO SUPPLEMENTARY REGULATIONS** - no alteration shall be made to the Supplementary Regulations after the commencement of the period for receiving entries.
- Exception: If required by external factors (Tracks, time limits, car counts) sup regs can be modified at the state bodies discretion prior and/or during a race meeting. How ever Prize money or entry fees cannot be changed after the commencement of receiving entries.
19. **ENTRY** - An entry made and accepted in accordance with these rules and any relevant Supplementary Regulations is a contract between a competitor and the promoters by which the competitor agrees to take part in the competition for which he/she has entered unless prevented by force majeure, and the promoters agree to comply with the conditions of entry provided that the competitor has made every effort to take part in the competition.
- A breach of such contract may be treated as breach of these Rules.
20. **DISPUTE REGARDING ENTRY** - If any dispute shall arise otherwise than by way of protest between a competitor or driver and promoter regarding any entry or nomination to drive which has been already accepted, such dispute shall be referred to the Steward for decision subject to the rights of appeal as provided by these Rules.
21. **OPENING OF ENTRIES** - An organising permit having been granted the promoters may invite, receive and accept entries from eligible competitors. Every Entry Form or invitation to enter, sent out by the promoters shall be accompanied by a print of the relevant Supplementary Regulations. Entries shall be made in writing, on the Entry Form provided by the promoters which shall provide for a statement of the entrance, of the driver nominated (if any) together with their licence numbers and any other information required by the Supplementary Regulations to be stated on the entry form.
22. **CONTENTS OF ENTRY FORM** - Entry Forms for all competitions shall contain the following:
- (i) Spaces for the names (not assumed names) of the entrant(s), the driver(s) and the licence numbers of the Entrant(s), Driver(s), Car Log Book Number, Vin Number and Car Racing Number.
 - (ii) Space for the signature of the entrant(s) and/or driver(s).
 - (iii) The following statement: "If an entrant or driver is under the age of 18 years this form must be accompanied by a letter of consent signed by both parents or by his/her guardian."
 - (iv) The form of indemnity and spaces for the appropriate signature(s).
 - (v) Such other information as is required by these Rules or the Supplementary Regulations to be stated on the Entry Form.

(vi) Prize money schedule to be shown on all Entry Forms.

23. INDEMNITY BY ENTRANTS AND DRIVERS

(a) Every entrant and driver, before taking part in any competition shall sign an indemnity, in the following form:

I/we declare that I/we have read and understood the Supplementary Regulations issued for the meeting, and agree to be bound by them and the provisions of the Formula 500's Australia Inc. Racing Rules and Regulations and Specifications and Speedway Australia Racing Rules and Regulations (current book).

I/we acknowledge and agree as a condition of entry that neither the Formula 500's Australia Inc., State Associations, Promoters nor host clubs shall be under any liability incurred by my/our death or any bodily injury, loss or damage which may be sustained or incurred by me/us, as a result of participation in or being present at the event, except in regard to any rights I may have arising under the Trade Practices Act 1985. I/we acknowledge that motor racing is dangerous and accidents causing death, bodily injury, disability and property damage can and do happen.

Entrant's signature: Date:

Driver's signature: Date:

IF THE APPLICANT IS UNDER 18 YEARS OF AGE, a parent or guardian's written consent must accompany this application.

(b) Any indemnity as prescribed in sub paragraph (a) of this rule which is signed by a person under the age of 18 years shall be countersigned by that persons parents or guardian(s), whose full name and address together with a statement of whichever of the aforesaid capacities entitles him/her so to sign, shall be stated with the said signature.

(c) Speedway Australia indemnity accepted in lieu of section (a).

Disclaimer For Under 18 years Driver & Pit Crew

Disclaimer and Consent Statement for persons under 18 years of age.

Parent/Guardian consent – persons under 18 years.

Iof (address).....

.....P/Code.....

am the parent/guardian * of the above named ("the minor") who is under 18 years old . I have read this document and understand its contents, including the exclusion of liability and assumption of risk, and have explained the contents to the minor. I consent to the minor attending/participating* in the event at his/her own risk.

By signing the nomination form for this event I understand that the nominated driver and his/her pit crew may appear in visual media (i.e. photographs, video footage) that is undertaken inside the speedway complex and that it remains the property of the media personnel involved. I also agree to any visual media involving the nominated driver and his/her pit crew to be used by the associated media personnel of the State and/ or Formula 500's Australia.

Signed.....Parent/Guardian* Date.....

*Delete whichever does not apply.

24. **CLOSING OF ENTRIES** - The date specified in the Supplementary Regulations for the closing of the entries shall be not less than seven clear days before the date of the meeting. In no circumstances shall any entry be received after such closing date, except that it shall be permissible to accept such entries arriving by the first mail delivery thereafter.
25. **ENTRY BY FAX OR EMAIL** - An entry made by fax or email may be accepted provided it is received before the time laid down for the closing of entries and a confirmatory letter with the entry fee and necessary insurance is despatched simultaneously. A competitor making an entry by fax or email shall on demand, complete and sign an entry form.
26. **ENTRY CONTAINING A FALSE OR INCORRECT STATEMENT** - An entry which contains a false or incorrect statement shall be null and void and the entrant may be deemed guilty of a breach of these rules and the entry fee may be forfeited.
27. **REFUSAL OF ENTRY** - An entry for a competition may be refused in accordance with the Supplementary Regulations relating to such competition. If an entry is refused, notification of such refusal shall be sent to the entrant so as to arrive within 72 hours of receipt of entry by email using "option- Request a Delivery Receipt" or by Registered mail. Such refusal is final and not subject to appeal.
28. **CONDITIONAL ACCEPTANCE OF ENTRY** - Supplementary Regulations may provide that entries may be accepted under certain clearly stated conditions. For instance, where the number of starters is limited, an entry may be accepted conditionally upon a vacancy occurring among entrants already accepted. Conditional acceptance shall be notified to the entrant by letter or emailed not later than the day following the date for the closing of entries.
29. **ACCEPTANCE OF ENTRIES** - If the number of entries received exceeds the maximum number of competitors laid down in the Supplementary Regulations, those to be accepted shall be selected in the manner specified in and by the Supplementary Regulations. If no manner is specified, they shall be selected either by ballot or by the order or the receipt as the promoters shall decide.

CHAPTER V - DRIVERS

30. **ISSUE OF LICENCES** -
 - (a) A Driver may only hold the licence issued by a Formula 500's Australia Inc. State/Territory Association in which he/she is principally a resident (with the exception of the ACT.) The area ACT is allowed to draw from is within a straight line drawn from Wollongong to Cowra then follow the Olympic Highway from Cowra to Wagga to Albury. Those persons living in NSW inside the designated area are free to join whichever Association they wish to become a member of. Those living within the ACT MUST be a Member of the Goulburn Association.
 - (b) A current or previously licensed driver must obtain a clearance from his/her previous State Association in order to be issued with the licence in the state in which he/she will now be principally resident.
 - (c) New drivers to start rear of field until the Steward/s deem he/she is capable of starting in the field.
 - (d) If a driver holds a current "AA" Licence and has raced an "AA" class within the last 12 months that he/she is eligible to start in the field at the discretion of Club Official or Chief Steward. See; Current Speedway Australia Racing Rule & Regulations 4.30.2.
31. **VALIDITY OF LICENCE** - A driver's licence is only valid if he/she is a member of the State Body (with the exception of the ACT) in which he/she is principally resident.

JUNIOR DRIVERS (SPEEDWAY AUSTRALIA RACING RULES & REGULATIONS)

2.2.8. A Junior Licence holder is required to have a parent or guardian, who holds an Annual Speedway Australia Licence, with them whilst at a Race Meeting. These licences will be offered as a “non-competitive” licence.

CHAPTER VI – DRIVING IN RACES

32. **OUTSIDE ASSISTANCE** - The Steward shall report to the RDC for conduct prejudicial to the interests of the sport, any person who assists a driver to start in a race or rerun of a particular race for which he/she is not qualified, has been excluded from, or who is ineligible to compete therein, or any person who without due cause obstructs a driver fully qualified from restarting. Radio contact with drivers is not permitted except by designated officials on equipment that transmits to all drivers, one way only. Any driver receiving communication via radio other than from officials may be liable for exclusion from the meeting.
(a) One way communication to be mandatory.
33. **SEAT BELTS** - Once a competitor has entered the track, if their seat belt is unbuckled without the Steward's prior consent, that driver is to be disqualified from that event (heat/race), unless the driver undoes their belts for safety reasons, (eg. tipped on side, fuel leaking, possible fire) and the driver can be ready to re-enter the race, by the time the rest of the field is ready to resume the race.
34. **RERUNNING OF RACES** - In the case of a rerun, mechanics shall not enter the course proper until permission is granted by the clerk of the course, further, no refuelling, refilling of radiators and/or mechanical adjustments shall be made to any vehicle without the express permission of the Steward. A breach of this regulation shall render the exclusion from the rerun of the driver or drivers and vehicles concerned.

SINGLE FILE RESTARTS

- (a) At the cone on single file restarts any car that drives partially or wholly beside the car restarting in front of them (NO overlapping) but does not gain a position will have a 2-position penalty given to them at the next stoppage or if no stoppage occurs the penalty will be applied to the race results.
 - (b) For hitting the cone, driving inside the cone or passing a car before the cone the penalty will remain the same, being sent rear of field at the next stoppage or if no stoppage occurs the penalty will be applied to the race results. *Also found in Speedway Australia Racing Rules & Regulation Formula 500 Annex 4.13.6*
35. **SUBSTITUTION OF A VEHICLE** - The vehicle shall be defined as the chassis and roll cage. A driver shall not substitute in a final, repechage or championship event any vehicle for that in which he/she gained the right to compete in such final, repechage or championship.

2.4. JUNIOR RACING (SPEEDWAY AUSTRALIA RACING RULES & REGULATIONS)

- 2.4.1. Clubs, Associations, Promoters and Speedway Venues cannot allow any Junior Events (practice or racing) to commence after 11.00pm.
- 2.4.2. Junior Drivers are permitted to participate in a Grand Parade.
- 2.4.3. Junior Drivers are permitted to “track pack”, however they must not be on the track at the same time as any senior licence holder.

Please refer to Rules 2.2.5 through 2.2.8 for specific details relating to Junior Licence Holders.

CHAPTER VII - TITLE EVENTS

36. ENTRIES -

- (a) Entries for all Title Events shall close at the State controlling body's discretion prior to the scheduled event;
- (b) Only drivers who hold Australian citizenship and an open licence shall be eligible to nominate for and compete in an Australian Formula 500 championship meeting, at any other championship meeting only drivers holding an open licence will be eligible to nominate for and compete at that meeting.

37. STARTING POSITIONS -starting positions in all heats shall be balloted for prior to the event.

38. STATE TITLES AND SPECIAL EVENTS - Provisions governing the conduct of a State Title or Special Event organised by a promoter shall be such as are mutually agreed to by the promoter and State Association. State Titles must comply with the Formula 500's Australia Inc. racing regulations and specifications, states may select **whatever format is agreeable with the Club and Promoter**, ie. "How many rounds of Heats, one or two days, etc."

39. POWER TO ACT - In the case of conditions arising during the conduct of any Title event for which no provision is made in these regulations, the RDC shall have the right of decision and power to act.

40. AUSTRALIAN CHAMPIONSHIP - All Australian Championships are to be held between 1st February and up to and including Easter of each year. Host State must give the national secretary six (6) months' notice of the day. No other major meeting or title events for Formula 500 are to be held in any state, host state excepted, where the total payout to drivers exceeds \$1,000 on the weekend or the time of the National Formula 500 Championships.

A National Chief Steward to be selected from a list of qualified nominations received, whom must hold a Level 1 Speedway Australia Official Licence who would be available to Steward the Australia Formula 500 Title. This position would be of 2 years in alignment with the other executive positions. (Current Steward may re- nominate.) Said Steward would be a point of contact regarding racing rules and interpretation and assist State run Titles where possible. Australian Chief Steward's cost to attend Titles to be covered by the Formula 500's Australia Association Inc.

In order to constitute an Australian Championship ALL States and Territories must be invited and represented by 3 States or Territories minimum.

Host States may apply for approval to the Australian Executive and State representatives for a variation to the Race Format & Point System a minimum of 6 months prior to the running of the Australian Formula 500 Title in their State. Decision/approval would be made on the majority of votes received.

2 DAY RACE FORMAT –

Day 1 – Scrutineering, Practice, 3 Rounds of Heats.

Day 2 – Round 4 of Heats, "B" Main, "C" Main (optional), Final.

3 DAY RACE FORMAT –

Day 1 – Scrutineering, Practice.

Day 2 – 3 Rounds of Heats

Day 3 – Round 4 of Heats, 'B' Main, 'C' Main (if warranted), Final.

Host state 'order of rotation' for Australian championships is as follows:

W.A., QLD, NSW, S.A, N.T., AC.T, VIC. TAS.

ALL AUSTRALIAN SPEEDWAY CHAMPIONSHIP EVENTS ARE TO BE HELD DURING NIGHT TIME HOURS
(NO DAY TIME MEETING ALLOWED)

If any State fails to attend a Formula 500's Australian General/AGM meeting for two Consecutive years, that State/Territory will forfeit their right to host the Australian Championship in that rotation.

If a Championship meeting is rained out before a full round of heats have been run then the whole meeting shall be run again. If a full round of heats has been run then the meeting can be continued the next day, weather permitting. If this is not plausible, the whole meeting must be rerun.

Distance:

Heats..... 10 laps

Championship - nearest number of laps to 12 kilometres

Number of Competitors:

Heats (minimum of 10 cars per heat, maximum of 13 cars per heat at time of nominations).

MUST BE A ROLLING START

Minimum Prize Money for an Australian Title \$10,000.00

41. **METHOD OF ELIMINATION** - The method of elimination will comprise a series of heats. Each driver will compete four times against a varied field. Draw to be done in such a way that all drivers will get a front quarter, 2nd quarter, 3rd quarter and a rear quarter. Points will be allocated for every position filled in each heat in accordance with the following schedule.

Grid draws for all Australian championship heats are to be attended by a J.P. or magistrate, or three (3) Formula 500 State Executive Officers must be present at the draw.

Placing	Points	Placing	Points	Placing	Points
1st	20	6th	15	11th	10
2nd	19	7th	14	12th	9
3rd	18	8th	13	13th	8
4th	17	9th	12	DNF	0
5th	16	10th	11		

FINAL: The top point scorers from the heats to 16th place will go through into the Final.

'B' MAIN: maximum of 20 cars (allowing for the 1st four (4) place getters from the 'C MAIN' to go ROF, if a 'C MAIN' is run.

'C' MAIN: (maximum of 20 cars) first four (4) transfer to 'B' MAIN (ROF) (if enough cars warrant it and promoter is agreeable).

Consolation race may be run if agreed by Promoter.

Reserves for Final: If 21 cars or more start the Final, no reserves will be used. If less than 21 cars start the Final, reserves may be used.

The highest point scorer in championship heats shall be allocated choice of front row positions (either position 1 or position 2) in the Final, prior to entering the track. The positions of any cars tied on points will be determined by their fastest lap times in the heats.

The current Australian Formula 500 Champion, if he/she fails to qualify for the Final, through the heats, and B & C Main after making a bona fide attempt, can start from the rear of the field in the Australian Formula 500 Final.

- (a) Electronic lap scoring and timing to be used for national and state Titles. Manual lap scoring to be used as a backup if required.

42. **AUTHORITY TO MODIFY** - Formula 500's Australia Inc. may from time to time increase or decrease the distance and/or method of running title events.

43. REGISTRATION NUMBERS - See Specifications Rule 18.

44. REGISTRATION OF CARS - All cars must be registered in the state in which the owner is principally resident (with the exception of GLB Association). All registered cars will be issued a Vin Number (Vin Number MUST be placed on the roll cage facing driver when seated, this will be an accessible place for scrutineers to check. See diagram overall view, page 34 for positioning.) The Vin Number issued and placed on the car MUST correspond with the Vin Number on the rule/Log book issued to that car.

In the case of a driver having more than one car that he/she may drive, the owner/driver may use the same racing number, but each car must be registered and have its own separate Vin Number and Rule/Log Book. If an owner wishes to invite a guest driver and both cars or more are racing on the same night, duplicate numbers will then not be permitted. The lap scoring number must be changed to a number approved by the Association or club organising the night's racing. eg. an owner or driver may have two (2) or more cars with the same racing number displayed; ie. two cars with number 16, each of these cars must be registered separately and have their own Rule/Log Book and Vin Number.

Please note: If Rule/Log Book does not correspond to the Vin Number on the car, that car cannot be raced until correct Rule/Log Book is presented at scrutineering.

45. RENEWAL OF REGISTERED NUMBERS – Upon a vehicle being registered the number thereon shall remain the property of the person granted the original registration whilst they remain a financial member and that their membership be paid in full prior to 1st January of each year.

In the case of a number not being registered for one complete season (1st July til 30th June) it shall then become available for general allocation. Should a particular number be registered but not used during one complete season then such number will also become available for general allocation.

46. MAINTENANCE OF VEHICLES - It shall be permissible for a promoter to equip and maintain workshops for the tuning of drivers' vehicles provided that a fair charge for the costs of such tuning, as may be approved by the State Association, is made to each driver concerned.
47. INSPECTION OF VEHICLES - Drivers and/or owners shall submit their vehicle for inspection and when required by the machine examiners or specifications committee.
48. MEASUREMENT OF ENGINE - If an engine is measured at the request of a driver he shall bear any expense incurred to a maximum of \$500.00, thereby. If measured to determine an appeal, the party against whom the decision is made shall bear the costs, and the registration of the vehicle may, if the engine is oversize, be suspended until all costs incurred are paid. Also see (Rules 59 & Specifications 8 (j) for Penalties).
49. The Australian Championship Presidents Trophy; is to be returned to the State Secretary One (1) Month prior to the Australian Title to check for repairs and forward to promoting State for Presentation to the winner. Promoters of Championship are to provide a token trophy for presentation to the winner.

50. PRIZE MONEY AUSTRALIAN CHAMPIONSHIP

- (a) Prize money for all National Events to be paid by the host club to the State Association and the State Association will then reimburse the Club at the Championship venue on the date of the said Championship.
- (b) VENUE BOND - A venue bond of one-third of the total prize money shall be payable to the Australian Association a minimum of 30 days prior to the Championship date. Should the venue receive a vote of no confidence as to its condition by the committee of the Association then the venue bond will be forfeited.

51. PRACTICE - All entrants to be granted time to practice; time for practice is to be organised between the host State and Speedway Promoter. At a Championship, a minimum time is to be set for practice, based on;
– 50 car entries: 1½ hours – 75 car entries: 2 hours, and so on.
Only the nominated car and driver is allowed to practice.
52. After national events no car to leave the track for ten minutes which is the period of time during which a protest may be lodged.
53. Australian Speedway and Short Circuit Championships are to be held in one State each year.
Should a short circuit vacancy occur then the option remains for any State to apply for the vacancy and can be held at any time during year of Title.
54. If the host State cannot, for any reason, hold the National Titles, then the succeeding host State will be required to take over.
55. ANNUAL GENERAL MEETING - To be held at the time and place of the National Championships (dirt track) on the day after the championship; meeting.
56. AGENDA ITEMS - Agenda items must be postmarked at least sixty (60) days prior to the Annual General meeting (AGM) and in the hand of the Secretary by that time. No agenda items will be accepted after this date and no agenda items will be accepted from any State Association should they be unfinancial on said date. The AGM agenda items and notices of motion should include the reasons for the changes suggested. The submitting association should explain their reasoning.
The Secretary shall give members at least thirty (30) days' notice in writing of all agenda items for an AGM or general meeting.
As per the Constitution – No item of a special business may be voted on at a General Meeting unless thirty (30) days' notice in writing of such a special business has been given to members.
57. Any technical infringement that is to be deemed a performance enhancement or give an unfair advantage to a competitor can be dealt penalties in accordance with section 7.9 of the current Speedway Australia - Racing rules and Regulations.
58. TESTING OF FUEL - whenever fuel is collected and tested, half of the sample should be sealed and given to the home association.
59. DELEGATES - The only delegates permitted to vote at Formula 500's Australia Association meetings must have been elected at a duly constituted meeting of their State Association and the names of said delegates must be forwarded to the Australian Secretary at least 14 days prior to the AGM.
60. CHANGES TO RULES AND SPECIFICATIONS - The only changes that may be made to the rules, regulations and specifications for Formula 500 racing must be made at a duly constituted Annual General meeting of the Formula 500's Australia Association. Any NEW RULE OR SPECIFICATION that is passed at the AGM, will not come into force until the 1st of July of that year.
61. SCRUTINEERS - A meeting of State Scrutineers who are present at the Australian Titles should be held with the Australian executive and the examiners responsible for scrutineering the cars for the championship events, prior to machine examination, to straighten out any problems which may occur and at least have an agreed direction. Scrutineers and others who assist shall be given passes (Gate & Pit) at Australian Speedway Titles, provided they are authorised by the State Association who is running the Title.
62. PUSHER CARS - A minimum of two pusher cars are to be present at championship meetings for assistance to start cars in heats and finals.

63. PROGRAMME - The Australian Title event must be the main event on the programme and the promoters should be requested to advertise as such on the frontispiece of the programme.
64. DRIVER'S REPRESENTATIVE - The driver's representative should not be a driver, official or mechanic acting in their capacity at a meeting.
65. GATE PASSES - Gate moneys or passes for the entire meeting be it one, two, or three days/nights, for a driver and two pit crew may be arranged by the promoter.
66. SUPPLEMENTARY REGULATIONS - The promoter's proposed schedule of the programme and the supplementary regulations are to be forwarded to the appropriate body for approval, whether State Association or the National Body.
67. ADDITIONAL RACES - Additional races for non-qualifiers are to be scheduled on the National Championship Finals programme.
68. GRID DRAWS - Grid draws for all Australian Championship heats are to be attended by a J.P. or magistrate, or three (3) Formula 500 State Executive Officers must be present at the draw.
69. ENGINE TESTING EQUIPMENT - each state body will carry the necessary equipment to carry out engine capacity checks at Australian Titles. Such checks to be done in a clean and crowd free area in the presence of the officials, placegetters and their crews only.
 - (a) The first three placegetters in the National Championship or if the supplementary regulations states for an event, will have their engine capacity measured at the driver or owner's expense. If an engine is found to be illegal the next placegetters engines will be measured. Any person refusing to allow an engine to be checked, the said car will be excluded from the meeting and all results in regard to the entire meeting and the prize money forfeited.

INFRINGEMENTS

Date.....Venue.....

Penalties Incurred.....

.....

.....

.....

.....

Name of Steward Issuing Infringement.....

Date.....Venue.....

Penalties Incurred.....

.....

.....

.....

.....

Name of Steward Issuing Infringement.....

Date.....Venue.....

Penalties Incurred.....

.....

.....

.....

.....

Name of Steward Issuing Infringement.....

(Stewards: please ensure that this is the Driver's Rule/Log Book if he/she doesn't own the car)

Formula 500's Australia Inc.

SPECIFICATIONS

*If clarification is required on any of these specifications, please contact
the Chairman of the Technical Committee. D Hedington.*



VEHICLE SPECIFICATIONS

1. General Dimensions.....	25
2. Engine	26
3. Transmission	27
4. Brakes	27
5. Steering	27
6. Throttle.....	27
7. Ignition	27
8. Fuel System.....	28
9. Body Group	28
10. Visor/Debris Screen.....	29
11. Safety Belts & Safety Apparel.....	29
12. Bumper Bars	30
13. Knurting Bars.....	30
14. Exhaust Pipes	30
15. Aerofoils	31
Aerofoils - Mounting Diagram	32
16. Roll Cages	33
Chassis Design Diagram.....	35
Roll Cages - Construction Diagram	36

17. Nuts, Bolts - Components	37
18. Racing Numbers.....	37
19. Transponder Position	37
20. Cooling Systems.....	37
21. Pit Crews.....	37
22. General.....	37
23. Vehicle Examinations.....	38
24. Deviations	38
25. Remember - If It's Not in the Book, It's Illegal ...	38
26. Scrutineers.....	38
27. Engine Testing Equipment.....	38

JUNIOR FORMULA 500 SPECIFICATIONS	39
Background	39
Formal Government and National Controlling Body.....	39
Monitoring Process	39
Aims and Objectives	39
Restrictor Specifications.....	40
Junior Restrictor 600 Class	40

SPECIFICATIONS FOR FORMULA 500's

compiled for FORMULA 500's AUSTRALIA

If at any time during a Race Meeting or during subsequent inspection after a Race Meeting, a Race Car is found to be not complying with the specification requirements the Chief Steward will issue an Infringement Notice to disqualify that Driver and Race Car from the Race Meeting and, in the Chief Steward's discretion, impose a fine of up to \$2,000 and/or a suspension of up to two years on the Driver.

7.9.3. Without limiting rule 7.9.2, a minimum penalty of 12 months and a maximum penalty of 24 months suspension and/or a \$2,000 fine may be imposed upon a Driver or other Licence Holder.

**All Material Tolerances used within this Specification Book MUST BE
in accordance with the applicable Australian Standards.**

Any Driver found in the possession of a communication device, other than a raceceiver (eg. mobile phone) within the confines of the race track/infield will incur a 12 month suspension effective immediately.

1. GENERAL DIMENSIONS:

- (a) The Formula 500 wheelbase and track wheelbase - maximum 1700mm - minimum 1450mm. Maximum width of the front track to be 1450mm. (Rear track width not limited.) Front track to be measured from the outer most part of rim to outermost part of rim, i.e. (Bead, Beadlock Plate or Bolt) at lowest point on rim.
- (b) Wheels - NO DUALS PERMITTED.
- (c) Wheel rims to be no greater than 10-inch (254mm) diameter. Controlled right Rear tyre compound, Hoosier D25 or American Racing SD48 or harder. The Hoosier **D12/RD12** compound, and/ or the American Racer **SD33** compound or softer tyres are banned for use on the left rear during all registered race meetings. *Phase in Period of 12 months until 1st July 2025.*
 - i) Softening or chemical alterations of either the controlled tyre compounds is not permitted. Penalties similar or equal to fuel doping if caught will be applied.
 - ii) Bleeders - The use of any form tyre bleeder or inflator is not allowed.
- (d) Cars must have suspension on front and rear wheels. No restriction on type of suspension. Suspension tubing sizes shall be a minimum of 12.7mm x 1.6mm wall thickness, front and rear.
The minimum size rod ends allowed for suspension or steering should be no smaller than 9.5mm.
All stub axle spindles on steer wheels to be a minimum of 15.8 mm diameter regardless of material used.
All wheel studs to be a minimum of 9.5mm - high tensile. This does not apply to front spindle mount wheel centres or rear splined mount wheel centres. The welding in of headless studs is prohibited. Chrome Moly 4130 steel tubing allowed as an equivalent size and strength to mild steel 12.7mm O.D. x 1.6 mm wall thickness minimum.
Front beam axle must be constructed of 32mm in seamless cold drawn tubing, or equivalent, with a 3mm wall thickness minimum. Chrome Moly or equivalent strength material may be used, 32mm minimum size is to still apply.
Rear beam axle to be constructed of a minimum of 30mm hollow / solid axle with 5mm wall thickness.
Rear Beam Axles fitted with clamp type hubs must have quick release pins of a minimum 3 mm thickness, to prevent the hub sliding off the axle. Splined Rear Axles with right and left handed nuts securing wheel hubs have the option to use quick release pins in the axle ends.

The axle shaft (including “R” Clips) is not allowed to protrude past the outside edge of the rim.

Axle nuts must be minimum of flush with end of axles.

- (e) Chassis - no restriction on type of construction. Must be of sound engineering principle, constructed of chrome moly tubing and suitably braced – must comply with material dimensions set out in SPECIFICATIONS Rule 16 Roll Cages and Chassis. Nerfing bar and wing posts may still use mild steel spuds.
- (f) Weight Rule –
 - 1) ALL cars to be of minimum total weight 200kg. Maximum total weight 290kg. Cars’ weight to be taken ‘race ready’ less fuel and driver. All cars MUST be weighed at Australian, State and Blue Ribbon events. Weighing at all other event/meetings will be at the discretion of the particular controlling body.
 - 2) This section applies to 4 cylinder 4 stroke engine powered cars. Minimum 350 kg weight of car and driver at any time. If added weight is required, weight must be fitted by using 10ml x grade 8 bolts, number of bolts used will be calculated by size of weight (e.g. 2 to 3 kilos use 2 bolts, 1 kilo x 1 bolt).

Weights may be fitted to seats or attached to spuds welded to the chassis. The mounting of the weight must be to the satisfaction of the State Scrutineer and be accessible to the scrutineer for checking. Weights are required to be identifiable to the car, eg. stamped with State Initial and car number.

Penalties for breach of the weight rule; loss of all points, placings and prize money from that meeting, second (2nd) offence of this rule will incur a three (3) months suspension, third (3rd) offence of this rule will incur a twelve (12) months suspension.

- (g) Overall length - the maximum length of the vehicle overall is not restricted, however it is suggested that the overall length should be limited to approximately 2.74m.
- (h) All hand operated controls, except gear change/clutch lever, must be inside the roll cage area. Gear change/clutch lever may be positioned outside the cockpit (not exceeding 100mm) providing adequate protection is provided in that area to prevent the driver’s hand coming into contact with the chain.
- (i) Cockpit Adjustments:
 - a) Electric wing sliders are the only permissible cock pit adjustment device.
 - b) NO cockpit adjustable shocks allowed and NO adjustable weight jackers allowed. NO remote Panhard/Jacob’s ladder adjusters allowed. (The adjuster must be disconnected or bolted so it is ineffective. If a car is found to have an adjuster active, the driver will be disqualified from the race. Cable ties are not an effective means of making an adjuster ineffective). 12 month phase in Period to 1st July 2025.

2. ENGINE:

- a (i) Rule Deleted 2017
- a (ii) Maximum engine capacity 550cc for two stroke engines. Maximum engine capacity 600cc for four stroke engines. Compression ratio is not restricted. Any other type of engine must be approved by the Specification Committee. NO SUPERCHARGERS. No supercharging – turbocharging or artificial aspiration of any form permitted. Remote controlled engine management systems are not allowed. Electronic / mechanical fuel injection and carburetors are allowed.
- a (iii) Rule Deleted 2015.
- (b) Rotary motors. As rated by the Federation Internationale de l’ Automobile, March 23rd, 1976. “Rotary engines will be admitted on the basis of piston displacement equivalence. This equivalence is twice the volume determined by the difference between the maximum capacity of the working chamber.”

- (c) Compression ratio is not restricted. Any other type of engine must be approved by the Specifications Committee. NO SUPERCHARGERS. No supercharging-turbocharging or artificial aspiration of any form permitted.
- (d) Remote controlled engine management systems are not allowed.
- (e) All 600cc engines meeting these specification requirements are to be measured and sealed. If the engine is sealed, engines may still be checked and measured at any time throughout a recognised Formula 500 association race meeting.

3. TRANSMISSION:

- (a) Any car in which the driver sits over or in which the driver is in close proximity with an exposed drive shaft or chain etc. must be equipped with a suitable protective cover. Drive from rear axle. Definitely NO front wheel drive.
- (b) Clutch - Each car MUST have an operational clutch that allows the car to be stopped in gear with engine running.
- (c) Chain Guards – All Cars must be fitted with a metal or aluminum chain guard. All drive chains and belts must be fitted with a guard to prevent damage to driver, fuel lines, electrical and brake lines. Aluminum thickness is to be 2mm minimum. Minimum width of chain guard to be 35mm. The chain guard must cover the exposed open section of the cockpit body regardless of having a left-hand arm guard and extend from the rear of the engine to the front of the rear tyre.

4. BRAKES:

- (a) All cars must be fitted with an effective foot operated braking system. (special dispensation allowed for Drivers with disabilities).
- (b) A brake calliper strap to be fitted from calliper to the rear torsion tubes on cars with brake rotor that would contact the seat if radius rods break. E.G. crutch straps would be suitable.

5. STEERING:

All steering wheels to be of a commercially manufactured type. Approved, removable steering wheels are mandatory.

Steering tube size shall be a minimum of 12.7mm by 1.6mm wall thickness.

- (a) **STEERING SHAFT**
Minimum material of 19mm x 1.6mm wall thickness steel to be used. If using aluminium, minimum material size to be 22mm with 6mm wall thickness.
- (b) Power assisted steering permitted.

6. THROTTLE:

Cable operated accelerators with positive return on the carburettors do not need a return Spring Rod operated accelerators must have a return spring on the pedal.

7. IGNITION:

- (a) If battery is not dry-cell, it must be in an enclosed battery box.

Each car must have an ignition switch or magneto cut out switch in good working order located in easy reach of the driver. Switch to be clearly marked ON/OFF, to be located in an accessible location in the cockpit. A triangle of contrasting colour a minimum size of 7.5cm x 7.5cm showing ON/OFF markings to be on exterior of body in close proximity to switch. It is mandatory for all cars to display an Ignition Switch location sticker, as supplied by Formula 500's Australia, sticker to be placed as close to the ignition switch as possible on top of the bonnet.

- (b) Electronic Traction Control: NO ELECTRONIC TRACTION CONTROL ALLOWED.
- (c) All 4 stroke cars to have a fusible link (maximum 30 Amp) between the battery and the ignition switch, **eliminating function of all ignition and starter switches when fusible link is removed.**

8. FUEL SYSTEM:

- (a) All cars to have a quick action shut off tap in the main fuel line/s located in an accessible location, outside the cockpit, **adjacent to the right rear shock mount and clearly marked ON/OFF.** Size of letters to be 20mm x 4mm minimum. It is mandatory for all cars to display a fuel tap location sticker as supplied by Formula 500s Australia, sticker to be placed as close to the fuel tap as possible.
- (b) All aluminium fuel tanks must be constructed of a minimum thickness of 2mm material.
- (c) All fuel tanks must be firmly fixed to the frame or roll cage.
- (d) No plastic fuel lines to be used except nylon reinforced or neoprene.
- (e) Tanks to be fitted with metal screw caps or metal spring clip type. Spring clip type fuel filler caps to be pinned or wired to prevent opening in the event of an accident.
- (f) Breather Hoses to be fitted to tanks to prevent spillage from rollovers or collisions, and must go to Bottom Chassis Rail. If a proprietary produced check valve is used it shall be in the configuration provided and will not require a breather hose unless specified by the manufacturer.
- (g) Fuel tanks - any part not to be fitted higher than rollcage.
- (h) All fuel line connections must be securely clamped or use proprietary fittings (eg. Speedflow, Earls, etc.) Wire is not acceptable. All lines must be routed and securely clamped to prevent contact with the ground or moving parts. Fuel lines must be positioned to minimise potential collision damage. Fuel lines must not be run along the lower frame rail under the back axle, or anywhere contact with the ground is possible. Fuel line to be as far away from the brake as practicable.
- (i) Methanol; fuels with lubricant additive ONLY to be used. Petrol is not permitted as a fuel. The use of Nitro Methane or Nitrous Oxide is prohibited. Artificial aspiration in any form is prohibited.
- (j) Whenever fuel is collected and tested, half of the sample shall be sealed and given to the home Association. **PENALTY -** The use of illegal fuels or oversize engines shall carry an automatic suspension of a minimum of 2 years and any further offences by the same competitor shall carry **SUSPENSION FOR LIFE.**
- (k) All plastic tail tanks shall have an approved bladder.

9. BODY GROUP:

- (a) Car must be fitted with a sturdy cowl and nose piece and body protecting the driver and mechanism and be so constructed as to allow the driver to enter and leave the car easily. All cars must have a rear body piece/tail, so as not to detract from the appearance of the race car. Adequate cockpit room is required.
- (b) Firewall - a Metal firewall must be fitted between the engine and the cockpit, separating the driver from the engine. Minimum thickness 1.6mm. Engine firewall height to be a minimum of 50mm above the highest point of the engine rocker cover or to the bonnet and **MUST** extend forward a minimum of 50mm past the front of the rocker cover. All unnecessary holes or openings to be sealed with metal or flameproof material.
- (c) Under pan or tray - All cars must have floor pans or sub floor that must extend the full length of the driver's compartment to the front of the driver's seat. Thickness must be 1.2mm minimum. Any seat, not of metal, must have floor pan to the rear of the seat. Floor pans have a maximum of 4 holes within driver's compartment of 38.1mm maximum for cleaning purposes only. The seat to be mounted in a manner so that in the event of losing the underpan or tray, the seat cannot pass between the chassis rails. Underpans enclosing engine compartment must contain suitable drain holes behind the firewall in case of fuel leakage.

- (d) Use of carbon fibre and/or Kevlar wing protectors, body panels, rear body/tail pieces and bonnets to be permitted.
- (e) Seats -Full containment type seats are compulsory in all formula 500s. Seats manufactured with rolled-edge holes allowed. Seats with drill holes not allowed other than the three drain holes. A maximum of three 1/2" (12.7mm) drain holes only permitted in seat. All seats to be bolted securely in place with a minimum of 4 x 5/16" bolts. The use of an additional horse shoe bracket must be installed around the vertical A Frame tube to the head surround flange **if applicable to the brand of seat**. If mounting bolts pass through a single layer area of seat, reinforcing of the area of a minimum of 1" x .062" steel washer required e.g.; mud guard washer. Protruding bolts to be padded. No fibreglass seats allowed.

Effective 1st March 2024 For details **and examples** in regard to the use of the additional horse shoe bracket please go to the site below.

https://www.butlerbuilt.net/v/vsfiles/images/PROPER_Seat_and_Seat_Belt_Mounting_SPRINT.pdf

1. Racetec seats are allowed to be used in cars.
2. Seat belt holes to be rolled or grommited.


10. VISOR/DEBRIS SCREEN:

- (a) Visors are permitted as an optional extra provided they do not come down so far in front as to impair visibility, and to be constructed of non-breakable material.
- (b) Debris Screens must have a maximum opening of 50 mm in either a square or vertical design. It is to be made of metal (no plastic) and must be securely attached by a minimum of 3 hose clamps to the front of roll cage of all cars at all times. Screen must sufficiently cover the open area of the roll cage directly in front of the driver.

11. SAFETY BELTS & SAFETY APPAREL:

- (a) Must be a five point harness type complying with SFI 16.1 (This standard allows 2 inch seat belts to be used.)
 - (i) Belts must be fitted according to the manufacturer's specifications.
 - (ii) All belts must attach to one release buckle. No push button latches, only lever type latches allowed.
 - (iii) Sternum belts are permitted.
 - (iv) Seat Belt life is 2 years from manufacturers date on belt and must be replaced by that expiration date. For belts with the expiry date stamped on them, these belts must be replaced by that date.
- (b) Shoulder belts to pass over or be anchored to restraining bar 19mm x 1.6mm wall thickness level with or 50mm below shoulder height. Belts may be anchored to or below this restraining bar. Seat belts to be of a maximum of 100mm apart at this point.
 This bar to be full width of Roll Bar Uprights - does not have to be one piece.
 Any car with the A frame in rear arch, 25mm or larger, does not require the additional horizontal bracing.
 The adjustable shoulder bar is approved for use. "Example as by Hyper Racing".
- (c) Seat belts - Seat belts that are not wrap around/lock on seat belts are to be mounted to a minimum 3mm plate by 37.5mm. This to be welded on both sides of plate and the seat belt to be bolted in by 10mm bolt with nylon locknut or 10mm HT eye bolts.

- (d) Safety Apparel – refer to the current Speedway Australia Racing Rules and Regulations; Section 15 Safety Apparel AA, SSA, A (Open Wheel) Minimum standard for ALL Formula 500 Divisions.
- (e) Arm Restraints – are compulsory and must comply to SFI or FIA Standards.



12. BUMPER BARS:

- (a) Cars must be equipped with front and back bumper bars extending beyond the front and rear wheels. Minimum width of front bumper to be 350mm. Maximum width of 609.6mm. Front Bumper may be double rail, providing it mounts to the chassis via 2 non- reinforced mounting points only.
- (b) Front and rear bumper bars to be of material minimum 12.7mm x 1.6mm and maximum 23mm tubing or equivalent. Rear bumper bar to be constructed as to offer protection in the event of a rear-end collision. No pointed sections to be attached to the bottom of rear bumpers.
- (c) Front bumper bars to be no more than 250 mm from the front edge of torsion bar/tube to the front of the bumper.

13. KNURFING BARS:

All cars must be fitted with knurf bars constructed and fitted to comply with the following specifications:

SPECIFICATIONS:

1. **MATERIAL** STEEL - Any type, Min. 19mm OD x 1.6mm wall thickness to a Max. 22.2mm OD x 1.6mm wall thickness.
OTHER - Min. 19mm OD to a Max. 22.2mm OD of no greater strength than 22.2mm OD x 1.6mm wall thickness Steel.
2. Knurfing bars to be mounted in 3 or 4 points on the frame and MUST not protrude past the outside edge of the tyres. Maximum of 3 uprights of the same angle between the top and bottom rails. Corner bracing to be allowed. The brace to be no longer than 300mm and can only be placed in the rear corners of the left and right side knurf bars. Knurf bars are not allowed outside the line of wheels (front to rear). Construction of knurf bars as per Rule Book (1) Materials (2) Swing Axle Type Cars only.
3. **Left Side Mounted Engines**
Carby/ fuel injection must be protected with knurfing bar, minimum of two (2) mounting points and maximum of three (3) mounting points, with one (1) mount point forward of the carbies/ fuel injection and one or two (2) points rearward of the carbies/ fuel injection. Construction of Carby/ fuel injection knurfing bar as per Rule Book Knurfing Bars specifications (1) materials.

14. EXHAUST PIPES:


Cars must be fitted with exhaust pipes, interior or exterior, installed in such a manner as to direct exhaust gases out of the body, to the rear or front, away from driver, fuel tank and tyres.

15. AEROFOILS OVERHEAD WING SPECIFICATIONS

- a) Centre air foil cannot exceed 12½ sq.ft. (1.161 sq metres) of surface area. Surface area is defined by length x width of the flat plane of the largest projection of the centre foil. Width not to exceed 4 ft. (1220mm).
- b) Top wing must not extend beyond outside of rear tyres or behind rear bumper to be measured with '0' zero chassis tilt.
- c) Centre foil must be square or rectangular in shape with all 4 corners set to 90 degree angles.
- d) Centre foil must be 1 piece. No split or bi-wings permitted.
- e) Maximum dimension of each side panel is 54¼" (1378mm) x 27½" (700mm). Only two side panels allowed. No kick out allowed. Panels must be parallel. Maximum of 2" (51mm) deep side panel, this is the protrusion of the stiffening members not including the struts (tubular or flat bar bracing).
- f) Four mounting points required, 2 front, 2 rear.
- g) Rule Deleted 2017.
- h) No top wing is permitted to be adjusted manually where any portion of the body extends outside the roll cage to make such an adjustment.
- i) Which ever side you enter the car, side panel must not extend below the top of the roll cage.
- j) Rule Deleted 2015.
- k) All Formula 500s shall only race with a top wing. Front wing is optional.

NOTE: DRIVER MUST BE ABLE TO ALIGHT EASILY.

Left-hand side panel must not extend below Aerofoil section by more than 100mm maximum. This specification applies to left hand side panels ONLY.



FRONT WING SPECIFICATIONS

1. Maximum aerofoil section width 920 mm
2. Maximum aerofoil section length 460 mm
3. Maximum side panel depth 220 mm
4. Maximum side panel length 550 mm
5. Minimum material thickness - aerofoil and side panel 0.4mm min
6. Position - over the front of the car and securely attached to the frame
7. No part of the wing, its side plates or its mounts may protrude past a vertical line above the front point of the front bumper.
8. Four mounting required ...2 front, 2 rear.
9. Mounts - The front must mount with a minimum of two - 18mm x 1mm wall thickness round tubing or 3mm x 19mm aluminium flat section.
10. Minimum rear mount - two - 3mm x 19mm aluminium flat section. The rear strut may be adjustable.
11. Must be securely mounted at all points.
12. Height - Adjustable height allowed only if vision is not impaired.
13. Front wheels must not be able to contact any part of the wing through full travel of the suspension and steering.
14. No sharp edges.

16. ROLL CAGES AND CHASSIS

Roll cages are compulsory and must be constructed and fitted to the vehicle according to the specifications as laid down.

ROLL CAGE AND CHASSIS SPECIFICATIONS

- (1) (a) CONSTRUCTION: Cage to be constructed of round tubular hard steel tubing of a minimum size of 32 mm OD x 2mm wall thickness seamless drawn or welded and drawn tube. High carbon steel tube must not be used, similarly water or steam tubing or exhaust tubing is not allowed. Bracing materials will be of similar material as mentioned above and of minimum size as indicated in these specifications. Chrome moly 4130 steel tube may be used (32 mm O.D. x 1.6mm wall thickness) minimum size.
- (b) WELDING: Welding must be either electrical or oxy welding.
- (c) HEIGHT: When the driver is seated correctly in the car, the top of the helmet must be a minimum of 50.8mm below a straight line between the front and rear arches of the roll cage and at no stage come in contact with or protrude above the top framework of the roll cage.
Measurement to be taken from top edge of front and rear arch members.
- (2) (a) REAR ARCH MEMBER: (With the exception of cars constructed prior to July 2007)
Construction material minimum 32mm OD x 2mm wall thickness to be splayed at the top a minimum 50.8mm more than measurement at the mounting point of the chassis.
NOTE: In the event of a vehicle being of a wider chassis construction than normal, the above specifications of splaying may be amended in consultation with the machine examiner.
- (b) BRACING of REAR ARCH MEMBER: Chassis bracing of the rear arch member will be with tubing of a minimum size of 19mm x 2mm wall thickness - to be mounted at least two thirds of the distance up the arch and one third of the height back along the chassis. Any car with the A

frame in rear arch, 25mm or larger, does not require the additional horizontal bracing (refer to Rule 11(b)).

- (c) Cross bracing of the arch will be with material of a minimum size of 15.8mm x 2mm wall thickness tubing and the bracing must be a triangulated style. Chrome moly 4130 steel tube 15.8mm O.D. x 1.6mm wall thickness allowed.
 - (d) A head restraint must be included in this construction to prevent a driver's head protruding backwards through the arch.
- (3) (a) **SIDERAILS:** Siderails of the cage will each be of one piece construction of a minimum size of 25.4mm x 2mm wall thickness tubing mounted to the corresponding corner of the rear arch and front mounted to the chassis at a point no closer to the rear arch than the driver's hands on the steering wheel on a normal straight forward position.
- (b) The siderails to be no narrower than the width of the top chassis rail.
 - (c) The front cross brace between the side rails will be a minimum size tubing of 25.4mm x 2mm wall thickness.
 - (d) Top inside corners of the roll cage will be gusseted with material of a minimum of 1.6mm attached for a minimum of 37.6mm along each edge (all gussets to have open corners).
- (4) **ROLL CAGE SAFETY SIDE RAIL:** Optional extra. Outside rail not to extend beyond 20cm from the trackline of the vehicle. The measurement being taken from the trackline inwards. Must have no sharp edges. May be diagonal if so desired.


HEIGHT - Must not be any higher than the mid point between the driver's shoulder and elbow when seated in normal driving position. Safety side rail may have support bars (braces) and be positioned from the upper chassis rail to the underside of safety side rail.

OPTIONAL HEAD BAR: An optional head bar is permitted. It must come no further forward of the roll cage rear arch member than 200mm and must in no way restrict the driver's access. There must be a minimum of 50mm clearance between the bar and the driver's helmet when correctly seated in the car. If the bar is bent by design to allow for extra clearance, and it protrudes above the roll cage top frame work, then suitable bracing between the roll cage side rails at the point where the head bar meets them, and the roll cage rear arch member must be installed. The bar is not to be taken into consideration when determining roll cage to helmet clearance. Material for the head bar and bracing shall be to the same specifications as that used in the roll cage construction.


Optional Roll Cage Extension

An optional RollCage extension is permitted. Material for the roll cage extension shall be the same as that used in the Roll Cage construction, and be constructed as per diagram.


This bar configuration can be taken into consideration when determining the Roll Cage to helmet clearance.




MOUNTING OF ROLL CAGE: Roll cages MUST be welded to the chassis as per Rule 22.




CHASSIS DESIGN (EXAMPLE ONLY)




BACK VIEW




FRONT VIEW




OVERALL VIEW



SIDE ELEVATION VIEW



PLAN VIEW



**OPTIONAL
ONE PIECE TOP ROLL CAGE BAR**

17. NUTS - BOLTS - COMPONENTS

All Nuts, bolts and component parts on each car's suspension system, chassis, steering and running gear be secured with either lock nuts, nuts and spring washers, nyloc nuts, castellated nuts with split pins, Loctite or lockwire, but excluding approved quick release shock absorber mounts and must have at least one full thread showing through the nut.

18. RACING NUMBERS:

- (a) **Numbers will be issued by the respective State bodies and a record kept. Number 1 will be allocated to the winner in the Championship of their State in which they are registered. Interstate drivers may display recognition of a Title held on their car if desired. The predominant number on the car MUST be the State Registered number. Numbers A1, A2 and A3 will also be reserved for the three placegetters in the Australian Speedway Championships for their use throughout the year that they hold those positions. Fractional numbers are not permitted, nor may letters be appended except to designate State, section thereof or Country. Only the defending Title holder is entitled to display the NUMBER 1 on his/her car. All other State # 1's MUST revert back to their allocated STATE NUMBER and MUST change all numbers on their cars.**
- (b) All cars must have clearly visible, easy to read numbers that include your state prefix on each side of the fuel tank/tail section. Numbers and State prefixes must also be clearly visible on both outsides of the top wing and a clearly visible lap scoring number to be positioned on upper rear corner on the inside of the left-hand side panel. Minimum number size to be 20cm high x 5cm wide.
- (c) Juniors are to include a J on their lap score numbers to emphasis their cars are juniors.

19. TRANSPONDER POSITION

Electronic lap scoring transponders shall be mounted to the chassis on the tube that mounts the front panhard bar and facing directly down. If a race car does not have this member or its position varies from the norm an alternative mount must be provided that places the transponder unit the same distance forward of the front axle centreline.

20. COOLING SYSTEMS:

- (a) All hoses to be securely clamped or may use approved push on fittings and hose
Eg; Speedflow, Earls etc. No wire to be used.
- (b) Pressure relief cap must be used
- (c) Recovery system allowable
- (d) Overflow hoses to travel at least to lower chassis rail.
- (e) All cooling system components should be mounted in a position so that it is afforded the maximum protection possible, in the event of an accident.

21. PIT CREWS:

Pit crew must wear suitable attire including protective footwear.

22. GENERAL:

All welding to be of good quality. Workmanship to be of good quality and meet with the approval of the machine examiners and technical committees.

23. VEHICLE EXAMINATIONS:

All cars are to be examined in two stages and the log book to be endorsed for the examinations:

- (a) full completion
- (b) then every time a car is presented for a race meeting.

All cars will have log books as supplied by the State Association in which the car number is issued. This log book must be presented to the Machine Examiner and/or Steward upon demand. The machine examiner will complete the log book at all meetings and sign the log book, note any faults found in the book. Faults noted in the log book must be rectified before being signed for any future meetings.

The driver is responsible for making both car and log book available for inspection before taking part in any race meeting. Any driver who competes without the log book entry completed shall for the first offence be excluded from any points, prize money or trophies for that meeting.

24. DEVIATIONS (perhaps the most important clause of all)

Approval of any deviations to the specification outlined in this Rule book must be obtained in writing from Formula 500's Australia.

All applications for deviations must first be lodged in writing through the applicants' State Association who is to discuss the item at Committee level. The Application is then to be voted on, and if successful, forward the application to Formula 500's Australia for approval. Formula 500's Australia Executive committee will then discuss the proposal, should the application be successful, written advice will be provided to all Associations. Should the executive feel that the proposal requires further input from all States before a decision is made, all States will be notified.

The approval will be issued for a specific period of time not exceeding beyond the next National Conference, where the deviation should be submitted for inclusion into the specifications.

Should the nature of the deviation be seen to provide an unfair advantage, approval of all other drivers competing at the meeting will be required. Should there be any objections, the deviation may only be run with the understanding that the driver will not be entitled to any Placing, Points or Prizemoney.

The approval of the deviation may be withdrawn at any time by either the State Association concerned, the National Executive.

25. REMEMBER - IF IT IS NOT IN THE BOOK IT IS ILLEGAL

Only by application of the previous rule (Rule 24) can a new rule be tried.

26. SCRUTINEERS:

All State Scrutineers who are present at the Australian Titles should be involved in the Australian Championship machine examinations. This is to ensure that there is a standard Australia wide interpretation of the rules and specifications.

27. ENGINE TESTING EQUIPMENT - Each State body will carry the necessary equipment to carry out engine capacity checks at Australian Titles. Such checks to be done in a clean and crowd free area in the presence of the officials, placegetters and their crews only.

- (a) The first three placegetters in the National Championship or if the supplementary regulations states for an event, will have their engine capacity measured at the driver or owner's expense. If an engine is found to be illegal the next placegetters engines will be measured. Any person refusing to allow an engine to be checked, the said car will be excluded from the meeting and all results in regard to the entire meeting and the prize money forfeited.

JUNIOR FORMULA 500 SPECIFICATIONS

BACKGROUND:

The Formula 500 Division has been around since the late 1940's and an Australian Association since the early 1960's. The Division is well controlled in all Australian States by their State Associations and is respected by Promoters and fans for the professionalism in the way the Division is controlled and the racing that is run.

FORMAL GOVERNMENT AND NATIONAL CONTROLLING BODY APPROVAL:

On the 16th February 2009 NSW Sport and Recreation approved the attach specifications and at the 2009 Formula 500's Australia Inc AGM these Specifications were accepted unanimously and ratified.

MONITORING PROCESS:

The Restricted Junior Formula 500 Drivers would comply with the existing Formula 500's Australia Specification Rule Book and the Speedway Australia Formula 500 Junior Driver Development Program as set out in the Rules.

This Restricted Division would be run under the control and supervision of the State/Territory Formula 500 Associations as ALL State and Territory Formula 500 Associations have unanimously agreed to the introduction of the Junior section.

STATES WISHING TO RUN THE JUNIOR RESTRICTED CLASS WILL BE REQUIRED TO;

- 1) NOTIFY FORMULA 500's AUSTRALIA in writing.
- 2) Have Qualified Junior Trainers
- 3) **EACH STATE WILL BE REQUIRED TO FORM A TECHNICAL COMMITTEE TO ENSURE THAT THE JUNIOR CARS COMPLY WITH THE JUNIOR RESTRICTED ENGINE RULES**
- 4) Keep a register of the Junior Drivers and supply Formula 500's Australia a copy of the Junior Formula 500 Training Registration Form.

Please find following a copy of the Specifications for a Restricted Junior Formula 500 Race Car that has been democratically formulated by Formula 500's Australia Inc.

In formulating the rules, regulations and specifications for the Junior Division, Formula 500's Australia Inc. has been extremely conscious of the need to keep explicit, effective, yet simplified control of the Division.

For example:

The key element of the specifications is the restrictor plate that is easily identified by the protruding lug at the top and Officials will be able to check that all cars have the restrictor in place whilst cars are lined up on the dummy grid. A Formula 500s scrutineer, junior trainer or Formula 500s representative can inspect restrictor plate/specification compliance at any event where junior formula 500s compete.

AIMS AND OBJECTIVES:

Formula 500's Australia Inc. has determined that a vital aspect of the growth and development of the category is the introduction of the Restricted Junior Formula 500 Race Car. In doing so, Formula 500's Australia Inc. aims to:

- (1) The concept of the exhaust restrictor plate has been implemented so that the same car can be driven by a senior or junior driver on the night thus eliminating the purchasing of a junior only car.
- (2) To encourage, control and foster the sport of Formula 500 racing in Australia.
- (3) To protect and guard the interests of Formula 500 drivers and owners.
- (4) To foster the recognition and esteem of Formula 500's Australia Inc. and individual member clubs.
- (5) To submit to promoters and sponsors proposals and terms that would be of mutual benefit and in the best interests of the sport of Formula 500 racing.

- (6) To ensure that Formula 500 racing is conducted in a uniform manner throughout Australia.
- (7) To promote friendship and courtesy in competition between member clubs and any other club, local and interstate with the same objects and purposes.
- (8) To provide a service for the improvement in technical knowledge of Formula 500 drivers and owners.
- (9) To afford Formula 500's Australia Inc the opportunity to encourage and strengthen its members involvement in the Speedway Australia Junior Development Program.
- (10) This is a development class for Junior drivers to get up to speed and become competitive in a cost effective way before moving up to the senior division, where they will then be eligible to compete in National and State titles.

RESTRICTOR SPECIFICATIONS

- (1) Each restrictor/exhaust restrictor plate will be laser cut. These Restrictors **MUST** be purchased through Formula 500's Australia. (For purchase contact Australian Secretary).
- (2) If at any time during a Race Meeting or during subsequent inspection after a Race Meeting, a Race Car is found to be not complying with the specification requirements the Chief Steward will issue an Infringement Notice to disqualify that Driver and Race Car from the Race Meeting and, in the Chief Steward's discretion, impose a fine of up to \$2,000 and/or a suspension of up to two years on the Driver. 7.9.3. Without limiting rule 7.9.2, a minimum penalty of 12 months and a maximum penalty of 24 months suspension and/or a \$2,000 fine may be imposed upon a Driver or other Licence Holder.
- (3) The car that the junior driver is competing in will receive a 12 months ban for allowing the junior to compete in it without the correct restrictor plate being fitted.
- (4) The exhaust restrictor plates will be colour coded with a heat resistant paint to indicate the size of the restrictor plate being used.
- (5) The restrictor/ exhaust restrictor plates will be sold by the governing body and The exhaust restrictor plate will be handed out at each race meeting, they will be signed for by the driver as receiving it and the reverse format will occur at the close of the meeting.
- (6) If a competing car was thought to be performing beyond its expectations, then that car will be blacked flagged and impounded by the scrutineers for the examination of the restrictor/restrictor plate, if the restrictor/restrictor plate was found to be oversize and illegal including a false colour code, then the same penalties will apply as per items 2 and 3 and an additional penalty fine of \$1000.00 will apply to the car owner.
- (7) At no time will the junior drivers compete in a senior drivers event or the reverse, if this was to occur then the same penalty will apply as per items 2 and 3.

JUNIOR FORMULA 500 RESTRICTED 600 CLASS

- 1. This class is NOT eligible for National or State Championships.**

- 2. Engine Eligibility:**

Maximum Engine Capacity 600c. Carburettors only to be used.

NO FUEL INJECTION OF ANY TYPE PERMITTED.

- a. Honda CBR 600.
- b. Yamaha R6 600.
- c. Kawasaki ZX6.
- d. Suzuki GSXR 600.

(Refer to Chapter 7 engine exhaust restriction detail below).

3. **Tyres:** As per Australian Formula 500 Specification Rule 1; (b) 1; (c).
4. **Braking:** As per Australian Formula 500 Specification Rule 4.
5. **Fuel:** As per Australian Formula 500 Specification Rule 8; (a) to (j).
6. **Weights:** ALL cars to be of a minimum total weight of 335kg. Cars to be race ready including driver. Weights may be fitted to seats or attached to spuds welded to the chassis. *An option is to use a 3mm steel floor pan in place of Aluminium.* The mounting of the weight must be to the satisfaction of the State Scrutineer and be accessible to the scrutineer for checking. Weights are required to be identifiable to the car, eg. stamped with State Initial and car number. Penalties for breach of the weight rule; loss of all points and placings from that meeting, second (2nd) offence of this rule will incur a three (3) months suspension, third (3rd) offence of this rule will incur a twelve (12) months suspension.

7. **F500 Restrictor plates:**

Are compulsory and as determined by the F500 Restrictor Plate committee and subject to any future parity adjustments and as per the following F500 restrictor plate dimensions:

PENALTY FOR NON COMPLIANCE OF RESTRICTOR/RESTRICTOR PLATE;

No Modifications are allowed to the Exhaust Restrictor or the Intake Restrictor. Penalties apply as laid out in these Specifications.

As stated previously. See Rule Restrictor Specifications (page 40) (2) & (6).

(There are three types allowed to be used)

A) Inlet Restrictor Plate

An Inlet Restrictor/restrictor plate with a $\frac{3}{4}$ inch port hole may be used. These Restrictor/restrictor plates must be purchased from Formula 500's Australia.

B) Stainless Steel Restrictor Washers to Suit all Other Engines

Eg. Pre '07 Kawasaki 600, Honda 600 with cylinder head that has the inlet manifold moulded as a part of the cylinder casting. These restrictor washers push into the carby mounting rubber & fit between the carby & the carby rubber. (It is recommended that you remove the thickness of the restrictor washer off the face of the carby or deepen the carby rubber where the washer seats. This will prevent the carbys popping out of the carby rubber.

C) Exhaust Restrictors

Restrictor plate sizes to be calculated as per AKA National and State offices.

A = Exhaust Port Size.

B = Number of Cylinder's.

C = Exhaust outlet to flange size.

$E = A \times B$.

$F = E \div C$.

Each engine to be measured independently by the Tech committee as exhaust ports and flange sizes differ from model.

Calculation as follows; $A \times B = E$.

$E \div C = F$.

$C \div F =$ Restrictor size.

These restrictor plates must be purchased from Formula 500's Australia.

8. Charging System:

Engine charging system must be run as it came from the factory, with the internal charging unit and stator. Voltage will be checked at the battery and stator. Visual inspection of the flywheel/stator will be performed if needed.

9. Starter Motor:

The cars must be self-starting, and the flywheel attached to the motor.

10. Seating:

The use of a proprietary manufactured FULL Containment seat is compulsory.

11. Cockpit Adjustments:

NO cockpit adjustable shocks allowed and NO adjustable weight jackers allowed. NO remote Panhard/Jacobs ladder adjusters allowed. If a car is found to have an adjuster active, the driver will be disqualified from the race. Cable ties are not an effective means of making adjuster ineffective. Electric wing sliders are permissible.

12. Limitations on Drivers:

To be eligible to compete in this class a driver must hold a Speedway Australia Junior Licence and be of 12yrs to 16yrs of age as per Speedway Australia Racing Rules & Regulations 2.2.4

(a) No Junior is allowed to enter a Race Track without a Junior Trainer being present, this includes Practice Days held by Tracks/Speedways that are not part of a registered speedway meeting. During a registered meeting, Juniors will be under the control off the Clerk of Course or Chief Steward.

(b) Junior Trainer where possible is to be on the infield whilst Juniors are racing and in contact with them by raceceiver.

Junior Driver Licences; Refer to Chapter V Drivers & VI Drivers in Races

(c) 2.2.4 Speedway Australia Racing Rules & Regulations;

All junior competition licences expire on the day prior to the competitor's 17th birthday.

(d) 2.2.7. (Speedway Australia Racing Rules & Regulations)

Junior Drivers are not permitted to compete against Senior Drivers.

a) A junior licence holder is permitted to practice in a senior division competition vehicle, providing they are at least 16 years of age and hold the correct one-day practice licence for that division. The safety attire worn must also meet the relevant Speedway Australia rule requirements for that division.

13. Restrictors: STATES MUST PURCHASE Restrictors from Formula 500's Australia. NO Modifications allowed to the Exhaust Restrictor or to the Intake Restrictor. Penalties apply as laid out in these Specifications.

When no longer required or when car is sold, the restrictor must be returned to the relevant State Association, at no cost to the State.

RULES OF CONDUCT

SOCIAL NETWORKING RULE

“Any form of Social networking (this includes Twitter, facebook, texting, etc.) by a Driver, Pit Crew or Official that is used to INTIMIDATE or HARRASS any other Driver, Pit Crew or Official, will have the matter investigated.”

This also includes any derogatory comments in relations to Speedways, Promoters Etc. See Rule; 7.6.2 (d) Speedway Australia Racing Rules and Regulations.

If the matter is deemed to be proven and correct, those considered involved will be required to appear before the relevant State Tribunal.

Proven offences will carry a minimum twelve month suspension from the sport of Speedway for the first offence.

It should be noted that where the responsible persons are not directly involved with the Formula 500 Association, but are clearly family members or friends then it will be the competitor who shall suffer.

Any Penalties for the breach of this Rule/Code of Conduct will be at the discretion of the State Association (in which the Penalty may be issued) and the Formula 500's Australian Executive. Any person being issued a Penalty will have the Right of Appeal through the Australian Executive.

RULES OF CONDUCT

DRIVERS' CODE OF CONDUCT

- Always comply to the Rules.
- Competitors are responsible for their own conduct as well as the conduct of any person associated with them, such as pit crews, vehicle owners and sponsors.
- Most stewards have volunteered their services for smooth, efficient and fair conduct of the race meeting.
- Avoid arguing with a steward – if you disagree with a ruling, quietly check with the official on how the decision was reached.
- Control your temper – verbal and physical abuse of any official or other competitors, and deliberately distracting or provoking others is not acceptable or permissible behaviour.
- Treat all competitors as you would like to be treated – do not interfere with, bully or take advantage of any other participant.
- Avoid the use of coarse or derogatory language.
- When in the public eye, always be dressed appropriately, speak to the public respectfully, if requested always be willing to sign an autograph.
- If an incident occurs on the track, do not abuse your racing apparel, eg: throw helmet, steering wheel, etc., if able stay with your car, make sure your car is in neutral so that it can be easily moved and if able make sure your fuel is turned off.
- Bad behaviour at any Formula 500 Event or official function will be dealt with severely.
- Any penalties will be decided on by the Chief Steward in consultation with the RDC.

Any Penalties for the breach of this Rule/Code of Conduct will be at the discretion of the State Association (in which the Penalty may be issued) and the Formula 500's Australian Executive. Any person being issued a Penalty will have the Right of Appeal through the Australian Executive.

RULES OF CONDUCT

OFFICIALS' CODE OF CONDUCT

- Be impartial, consistent and objective at all times.
- Understand the purpose of the rules of competition.
- Be co-operative and understanding in the interpretation and application of rules or any penalties.
- Make a personal commitment to keep informed of sound officiating principles and rule updates.
- Ensure behaviour is consistent with the principles of good sporting behaviour.
- Condemn unsporting behaviour and promote respect for all competitors.
- Place safety and welfare of participants above all else.
- Ensure the spirit of competition is maintained.
- Avoid the use of derogatory language or gender or race.
- Refrain from any form of sexual harassment towards officials and competitors.
- Encourage understanding of and access to knowledge of all areas of officiating.
- Be a positive role model in behaviour and personal appearance.

Any Penalties for the breach of this Rule/Code of Conduct will be at the discretion of the State Association (in which the Penalty may be issued) and the Formula 500's Australian Executive. Any person being issued a Penalty will have the Right of Appeal through the Australian Executive.

